Complete package information is listed at the end of the Feature Availability section.

NOTE: Information shown is correct at time of publication, and is subject to change without notice.

2007 JEEP WRANGLER FEATURE AVAILABILITY

I LATONE AVAILABILITY	Х	Sahara	Rubicon	
EXTERIOR	^	Odridia	rtabloon	
Colors				
Black, Bright Silver, Flame Red, Jeep Green, Light Greystone, Red Rock,				
Rescue Green, Steel Blue, Stone White	0	0	0	
Fender Flares, BlackFender Flares, Body color	S	_	S	
	_	S	_	
Doors	_	_	_	
Two doors, removal	S	S	S	
Full, metal with roll-up windows (included with hard or dual top)	0	S	S	
Half, metal (not available with hard or dual top	_	_	_	
options)	S	0	0	
Fog Lamps (requires tow hooks)	0	S	S	
Fuel Cap, Locking		0	0	
Grille – Body color		S	S	
Halogen Headlamps	S	S	S	
Mirrors—Dual, swing-away, manual, Black		S	S	
Rock rails – Heavy-duty, black-painted steel		_	S	
Side Steps – Tubular		S	S	
Tire Cover, Spare	0	0	_	
Tops	_	_	_	
Soft, easy folding with soft windows	S	S	S	
Sunrider [™] soft top with "sun roof" feature (late availability)	0	0	0	
Freedom Top™- Three-piece modular hardtop	0	0	0	
Tow Hooks—Two, front; one, rear (requires fog lamps)		S	S	
Windshield – Fold-down, sunscreen	S	S	S	
Windshield wipers —Two-speed with variable intermittent mode	S	S	S	
	Χ	Sahara Rubicon		
INTERIOR				
Assist Handle—Passenger	S	S	S	
Carpeting				
Front seat, rear seat, wheelhouse and cargo area	S	S	S	
Cargo Tie Down Loops (four)	S	S	S	
Climate Control				
Air conditioning	0	S	S	
Console—Floor				
Mini with front and rear cup holders, cubby bin	S	_	_	
Full length with front and rear cup holders, locking storage bin	_	S	S	
Door Locks – Power (P1)	O/P	O/P	O/P	
Floor Mats—Carpeted, front	0	0	0	
Glove Compartment—Locking	S	S	S	
Instrument Cluster				
Gauges—Speedometer, tachometer, odometer, trip odometer,				
temperature, fuel level, oil pressure, voltmeter	S	S	S	
Temperature and compass gauge	_	S	S	

Manual day/night rearview S S S S S S S S S	No.			
Power Accessory - 12-volt power outlet in instrument panel	Mirrors Manual day/night rearview	S	s	S
Radios AM/FM stereo radio with CD player and MP3/WMA auxiliary jack				S
AM/FM stereo radio with six-disc DVD/CD changer and MP3/WMA auxiliary jack AM/FM stereo radio with six-disc DVD/CD changer, MPS Navigation System, MP3/WMA auxiliary jack, 20G hard drive and SIRIUS Satellite Radio SIRIUS Satellite Radio Six speakers Six Infinity speakers and subwoofer with 368-watt high power amplifier Six Infinity speakers and subwoofer with 368-watt high power amplifier OSSeat Fabric Vinyl SCHOTH OSSESSESSESSESSESSESSESSESSESSESSESSESSE	Radios			
auxiliary jack AM/FM stereo radio with six-disc DVD/CD changer, MPS Navigation System, MP3/WMA auxiliary jack, 20G hard drive and SIRIUS Satellite Radio		S	S	S
AM/FM stereo radio with six-disc DVD/CD changer, MPS Navigation System, MPS/WMA auxiliary jack, 20G hard drive and SIRIUS Satellite Radio	•			
System, MP3/WMA auxiliary jack, 20G hard drive and SIRIUS Satellite	• • • • • • • • • • • • • • • • • • • •	О	О	О
Radio				
SIRIUS Satellite Radio			^	0
Six speakers Six Infinity speakers and subwoofer with 368-watt high power amplifier O S		_	_	0
Six Infinity speakers and subwoofer with 368-watt high power amplifier		_	_	S
Seat Fabric		0		S
Vinyl	, , , , , , , , , , , , , , , , , , , ,	•	O	J
Cloth		S	_	
YES Essentials® Seat Fabric — S S S Seats, Front Low-back reclining bucket with adjustable head restraints		_	_	_
Seats, Front		_	S	S
Low-back reclining bucket with adjustable head restraints				
Easy access passenger tip-and-slide O S Seats, Rear Fold-and-tumble bench S S Speed Control (packaged with leather-wrapped steering wheel) P S Sport Bar—With full padding, two speakers and dome light S S Steering Column—Tilt, manual S S Steering Wheel Leather-wrapped with speed controls O S Leather-wrapped with speed controls S S Storage –Lockable, under rear cargo area floor S S Sun Visors—Driver and front passenger S S Windows – Power (P1) O/P O/P		S	S	S
Fold-and-tumble bench				S
Speed Control (packaged with leather-wrapped steering wheel)	Seats, Rear			
Sport Bar—With full padding, two speakers and dome light	Fold-and-tumble bench	S	S	S
Steering Column—Tilt, manual S S S Steering Wheel	Speed Control (packaged with leather-wrapped steering wheel)	Ρ	S	S
Steering Wheel Leather-wrapped with speed controls	Sport Bar—With full padding, two speakers and dome light	S	S	S
Leather-wrapped with speed controls	Steering Column—Tilt, manual	S	S	S
Storage - Lockable, under rear cargo area floor	Steering Wheel			
Sun Visors—Driver and front passenger				S
Windows - Power (P1)		S		S
X Sahara Rub POWERTRAIN AND CHASSIS				S
Alternator – 160 amp SSS SSBrakes Four-wheel disc brakes with vented front, solid rear discs, and anti-lock with on- and off-road calibrations SSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSSS	Windows – Power (P1)	O/P	O/P	O/P
Alternator – 160 amp		Χ	Sahara	Rubicon
Battery – 600 amp maintenance free	POWERTRAIN AND CHASSIS			
Battery – 600 amp maintenance free	Alternator – 160 amp	S	S	S
Brakes Four-wheel disc brakes with vented front, solid rear discs, and anti-lock with on- and off-road calibrations				S
Four-wheel disc brakes with vented front, solid rear discs, and anti-lock with on- and off-road calibrations		Ü	Ü	Ū
with on- and off-road calibrations S S Differential Trac-Lok(a) O O Tru-Lok front and rear electronic remote locking — S Engines 3.8-liter OHV, 12-valve SMPI V-6 engine and six-speed NSG 370 manual transmission S S 3.8-liter OHV, 12-valve SMPI V-6 engine and four-speed 42RLE automatic transmission O O O Engine Block Heater O O O O Front Axle Enhanced Dana 30 S S D Dana 44, heavy-duty S S S S Dana 35 P P P D D 3.21 axle ratio S S S S S 4.10 axle ratio - with automatic, P2, optional manual O/P				
Differential Trac-Lok(a)		S	S	S
Tru-Lok front and rear electronic remote locking —	Differential		•	•
Tru-Lok front and rear electronic remote locking —	Trac-Lok(a)	0	0	_
Engines 3.8-liter OHV, 12-valve SMPI V-6 engine and six-speed NSG 370 manual transmission S		_	_	S
3.8-liter OHV, 12-valve SMPI V-6 engine and six-speed NSG 370 manual transmission S S 3.8-liter OHV, 12-valve SMPI V-6 engine and four-speed 42RLE automatic transmission O O Engine Block Heater O O Front Axle S S Enhanced Dana 30 S S Dana 44, heavy-duty P P Bana 35 P P Dana 44, heavy-duty S S 3.21 axle ratio S S 4.10 axle ratio – with automatic, P2, optional manual O/P O/P Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S Steering—Power S S	•			
transmission S S 3.8-liter OHV, 12-valve SMPI V-6 engine and four-speed 42RLE automatic transmission O O Engine Block Heater O O O Front Axle Enhanced Dana 30 S S - Dana 44, heavy-duty - - S Rear Axle Dana 35 P P P - Dana 44, heavy-duty S S S S S S S S 3.21 axle ratio S		l		
3.8-liter OHV, 12-valve SMPI V-6 engine and four-speed 42RLE automatic transmission			S	S
Engine Block Heater O O O Front Axle S S - Enhanced Dana 30 S S - Dana 44, heavy-duty — — S Rear Axle P P - Dana 35 P P - Dana 44, heavy-duty S S S 3.21 axle ratio S S S - 4.10 axle ratio – with automatic, P2, optional manual O/P O/P S Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S S Steering—Power S S S		Э		
Engine Block Heater O O O Front Axle S S - Enhanced Dana 30 S S - Dana 44, heavy-duty — — S Rear Axle P P - Dana 35 P P - Dana 44, heavy-duty S S S 3.21 axle ratio S S S - 4.10 axle ratio – with automatic, P2, optional manual O/P O/P S Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S S Steering—Power S S S	transmission	0	0	0
Enhanced Dana 30 S S Dana 44, heavy-duty — S Rear Axle — S Dana 35 P P P Dana 44, heavy-duty S S S 3.21 axle ratio S S S 4.10 axle ratio – with automatic, P2, optional manual O/P O/P S Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S Steering—Power S S S	Engine Block Heater	0	0	0
Dana 44, heavy-duty —	Front Axle			
Rear Axle P P - Dana 35			S	_
Dana 35 P P - Dana 44, heavy-duty S S 3.21 axle ratio S S - 4.10 axle ratio – with automatic, P2, optional manual O/P O/P S Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S Steering—Power S S	Dana 44, heavy-duty	_	_	S
Dana 44, heavy-duty	Rear Axle			
3.21 axle ratio S S - 4.10 axle ratio – with automatic, P2, optional manual O/P O/P S Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S Steering—Power S S				_
4.10 axle ratio – with automatic, P2, optional manual O/P O/P Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S S Steering—Power S S				S
Skid Plates—Fuel tank, transfer case, automatic transmission oil pan S S S S S S S S S S S S S S S S	3.21 axle ratio	S		_
Steering—Power S S	4.10 axle ratio – with automatic, P2, optional manual	O/P		
				S
Suspension		S	S	S
	Suspension			

Overden Only	0	0	0
Quadra-Coil	S	S	S
Front: five-link solid axle, gas-charged shock absorbers, stabilizer bar	S	S	S
Front: Electronic Sway Bar Disconnect System (ASDS; late availability) $_$	0	0	S
Rear: five-link solid axle, gas-charged shock absorbers, stabilizer bar		S	S
Tire—Spare, swing-gate mounted, full-size with matching wheel	S	S	S
Tires			
Goodyear Wrangler ST P225/75R16 on/off-road, black side wall	S	_	_
Goodyear Wrangler SRA P245/75R16 on/off-road, black side wall	0	_	_
Goodyear Wrangler SRA P255/75R17 on/off-road, outlined	•		
white lettered	Р	S	
Bridgestone Dueler 693 P255/70R18 on/off-road, outlined white lettered	_	0	
	_	O	S
B.F. Goodrich Mud Terrain LT255/75R17 on/off-road, black side wall	_	_	5
Transfer Case	_	_	
Command-Trac® part-time two-speed	S	S	
Off-Road Rock-Trac™ two-speed with 4.0:1 low-range gear ratio and			
electric front- and rear-axle lockers	_	_	S
Wheels			
16" x 7.0" painted steel	S	_	_
16" x 7.0" painted cast aluminum	0		
17" x 7.5" painted cast aluminum	0	S	_
17" x 7.5" machined cast aluminum	_	_	S
18" x 7.5" painted cast aluminum	_	0	_
To X 7.5 painted dast aldifficient		O	
(a) Trac-Lok [®] is a registered trademark of Spicer Technology Inc.			
(a) That Eak is a registered trademark or opioer redifficiety inc.			
	Χ	Sahara	Rubicon
SAFETY AND SECURITY	^,	Canara	rabioon
Brake Assist	S	S	S
Brake lock differentials	S	S	S
Electronic Roll Mitigation (ERM)	Š	S	Š
Electronic Stability Program (ESP)	S	S	S
Restraint Systems	O	O	O
Air bags(a), advanced multi-stage driver and front-passenger air bag	s	S	S
	S	S	S
Occupant Classification System			
Lower Anchors and Tethers for CHildren (LATCH)	S	S	S
Front-seat-mounted side air bags	0	0	0
Remote keyless entry (P1)	Р	Р	Р
Seat Belts			
Driver's side constant force retractors	S	S	S
Front—Three-point belts with adjustable turning loops			
and traveling inboard buckles	S	S	S
Rear—Three-point belts	S	S	S
Seats – Rear, outboard head restraints	S	S	S
Sentry Key [®] Engine Immobilizer	S	Š	Š
Traction Control - All speed	S	S	S
Warning chime—Key-in-ignition, headlamps-on, seat belt,	J	J	J
	c	0	c
check gauges	S	S	S
(a) Contified to most federal regulations that allow less forestyl air have. Always use so	ath alta		
(a) Certified to meet federal regulations that allow less forceful air bags. Always use sea	albeits	ن .	
Remember, a back seat is the safest place for children.			
	Χ	Sahara	Pubicon
PACKAGES	٨	Saliala	Nubicon
	ver		
P1 – Power Convenience Group – Includes power locks, one-touch down pow	_	_	_
windows and remote keyless entry (requires full metal doors)	0	0	0
P2 – Trailer Tow Package – Includes 4.10 axle ratio (deletes rear tow hook if	~	_	_
equipped, requires heavy-duty rear axle)	0	0	0
P3 – Removable ashtray and lighter element	0	Ο	0